

Amendments to the Claims: The following list of claims replaces all prior versions and listings of the claims in this application.

Listing of the claims:

1. (Currently amended) Inflammable, single-service material assembly in the form of a lighting strip, in a non-compacted state adapted to be able to present, after a lighting, an initial combustion with a generated amount of energy adapted for an initial lighting and a subsequent secondary combustion, for a lighting of an adjoining inflammable material, ~~such as pieces of firewood formed from wood, characterized in that~~ wherein the lighting strip is, in a position intended for storing, allotted the form of a roll and ~~has, at all events,~~ comprises two thin slender, elongate and co-ordinated strips, wound up to a compact helical shape, ~~that wherein~~ the lighting strip is structured as and constituting of, ~~at all events,~~ a thin paper strip (10') and of, ~~at all events,~~ a thin plastic strip (10"), and wherein ~~and that~~ the lighting strip, in an unwound and non-compacted state (9), is so co-ordinated that a rapid lighting and a combustion of the paper strip (10') and the plastic strip (10") will take place.
2. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein said thin plastic strip consists of polyethylene material.
3. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein said thin paper strip and said thin plastic strip are, via opposite surfaces, completely or partly united to each other.
4. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein the lighting strip is partly processed in such a way so that thereby, in a non-compacted

state of the lighting strip, the possibility for air to pass and in that way get access to a developed seat of fire is presented, for a combustion-enhancing supply of oxygen.

5. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein one or more energy-raising and/or combustion-improving and/or smoke-forming additional substances, ~~such as powder, paste and/or liquid~~, are supplied to said thin paper strip and said thin plastic strip.

6. (Currently Amended) Material assembly according to claim 1 ~~or 5, characterized in that~~ wherein said additional substances are fixed inside a formed gap between one or more of said thin paper strips and one or more of said thin plastic strips, by the fact that adjoining and opposite strip-allotted edges are provided with one or more seals.

7. (Currently Amended) Material assembly according to claim 6, ~~characterized in that~~ wherein said seals are longitudinally oriented, for the formation of a tunnel or a tube of utilised paper strip and utilised plastic strip, alternatively longitudinally and transversally oriented for the formation of a number of closed pockets.

8. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein the paper strip is allotted an adapted thickness, flexural stiffness and/or resilience, with strip-associated paper fibres oriented and allotted a capacity to be able to realign elastically somewhat after a crumpling up for the formation of a "ball" structure.

9. (Currently Amended) Material assembly according to claim 8, ~~characterized in that~~
wherein the thickness, the flexural stiffness and/or the resilience of the paper strip and co-
ordinated plastic strip are/is adapted to, under a certain compression, be able to support pieces of
firewood resting against said ball structure.

10. (Currently Amended) Material assembly according to claim 1 ~~or 2, characterized in that~~
wherein the thin plastic strip consists of an environmental-friendly, high-energy, plastic material,
forming carbon dioxide and water during a combustion at a free access of air.

11. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein the material content in and the structure of the paper strip co-ordinated with the
thickness and selected material in the plastic strip are mutually adapted to give a chosen balance
between a structural- and stability-providing capacity and an energy-and power-releasing capacity
generated during combustion.

12. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein the paper strip and/or the plastic strip have/has an edge configuration adapted for
providing an embodiment that gives a tendency to and a possibility of a rapid lighting up
sequence.

13. (Currently Amended) Material assembly according to claim 1 ~~or 12, characterized in that~~
wherein a multistage effect allotted to the combustion is adapted to be attained by the fact that a
more highly flammable layer or a part is brought to catch fire initially, and that the same in turn is

adapted to allowing to light a second layer or part, adapted to subsequently being burnt at a higher temperature.

14. (Currently Amended) Material assembly according to claim 1 ~~or 5, characterized in that~~ wherein a utilised additional substance is adapted for a selected energy release, directly adapted to a current field of application.

15. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein the two or more co-ordinated paper strips and/or plastic strips of the lighting strip are so tightly wound up to a roll and so compactly contained that it can resist alighting by a fire coming from outside.

16. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~ wherein a number of said lighting strips formed to a compact helical shape are co-ordinated in a dispenser construction as individual units.

17. (Currently Amended) Material assembly according to claim 1 ~~or 16, characterized in that~~ wherein a number of such units are co-ordinated to one and the same package.

18. (Currently Amended) Material assembly according to claim 15 ~~or 16, characterized in that~~ wherein a material serving as a desiccant is inserted between the paper strip and the plastic strip of the lighting strip.

19. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein said compact helical shape of the lighting strip is surrounded by plastic, cardboard or
paper, for the formation of a unit.

20. (Currently Amended) Material assembly according to claim 19, ~~characterized in that~~
wherein the unit has a central hole, from which one end portion of the lighting strip initially is
extractable.

21. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein the compact helical shape is, by an additional forming, allotted a shape bordering on a
quadratic outer shape.

22. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein the inner end portion or pole of the lighting strip is formed as and/or has a tab grippable
by a hand, which tab is arranged to extend outside the compact helical shape.

23. (Currently Amended) Material assembly according to claim 1, ~~characterized in that~~
wherein the lighting strip is constructed from one or more co-ordinated paper strips and one or
more co-ordinated plastic strips, and ~~that~~ the strips are allotted the same or substantially the same
thickness.

24. (Currently Amended) Material assembly according to claim 19, ~~characterized in that~~
wherein the lighting strip and a set of matches and a striking surface are packaged as a unit.

25. (Currently Amended) Material assembly according to claim 19, ~~characterized in that~~
wherein the lighting strip and a lighter are packaged as a unit.